
# WCD2 PARAGONC

Installation - Condensation sensor

20180315



#### General description of the Condensation Sensor WCD2 - PARAGON.

The Sensor WCD2 PARAGON is designed to meet the requirements to provide early warning of condensing conditions.

In case of a problem with the system the sensor is used as a safeguard to avoid condensation from the chilled beam.

The sensor operates on dew point temperature rather than a fixed value of relative humidity.

The dew point is calculated from a temperature compensated RH element and a high accuracy thermistor which are thermally bonded to the metal plate of the sensor.


The volt-free contact relay in the sensor is activated when the dew point temperature is below the calculated dew point temperature (there is a safety factor included in the calculated dew point).


#### **LED Indication.**


The red LED, visible through the top of the housing, has 4 functions.


- 1. Short blink once every 15 seconds to show the device is working properly
- 2. Rapid continuous blinking to show the dew point switching set point is close
- 3. Continuously ON when the output is switched on.
- 4. On long flash followed by 2 short flashes to show the temperature element is faulty.
































## WCD2 PARAGON/PARAGON Wall











#### To connect condensation sensor WCD2 to PARAGON with Plinth










#### PARAGON/PARAGON Wall with Plinth

	Colour	Plinth
Condensation sensor WCD2	Red	G
	Blue	G0
	Yellow	SENSOR
	Green	CONDENS
24 V AC	Black	G
	Grey	G0




### To connect condensation sensor WCD2 to PARAGON with WISE IORE



#### PARAGON/PARAGON Wall with WISE IORE

	Colour	Plinth
Condensation sensor WCD2	Red	+ ~
	Blue	<b>-</b> +
	Yellow	SENSOR
	Green	CONDENS
24 V AC 15-30 DC	Grey	
	Black	+ ~





#### To connect condensation sensor WCD2 to PARAGON with CONDUCTOR



#### PARAGON/PARAGON Wall with CONDUCTOR

	Colour	Conductor RE
Condensation sensor WCD2	Green	17
	Yellow	18
	Red	21
	Blue	22
24 V AC	Grey	23
15-30 DC	Black	24

